



SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: **CarboN**
 Other means of Identification: Fertiliser
 Product Use: The user should seek the advice of the county agricultural representative or a professional agricultural consultant.
 Restriction of Use: Refer to Section 15

New Zealand Supplier: **Hortigro Ltd**
 Address: 164 Manukau Road
 Pukekohe
 Auckland, 2120

Telephone: +64 9 2371777

Emergency No: 0508673800
0800 764 766 (National Poison Centre)

Date of SDS Preparation: 8 March 2018

Section 2. Hazards Identification

This substance is hazardous according to the Hazardous Substances (Classification) Notice 2017

EPA Approval No: Fertilisers (subsidiary) – HSR002571

Pictograms



Irritant

Signal Word: **Warning**

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
9.1D	H401	Toxic to aquatic life.	Aquatic Acute 2
9.3C	H433	Harmful to terrestrial vertebrates.	-

Prevention Code	Prevention Statement
P103	Read label before use.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective PPE.

Response Code	Response Statement
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove

P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Non-Hazardous Ingredients	To bal	N/A
Urea	31-32	57-13-6
Ammonium nitrate	25-26	6484-52-2

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If on Skin	Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention.
If Swallowed	Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Eye:	Causes severe eye irritation.
If swallowed:	Can irritate the mouth, throat and stomach.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from combustion products	By heating and fire, irritating vapours/gases may be formed. It may become an oxidizing liquid if concentrated by evaporation. If evaporated to dryness, the product acts as an oxidizing agent, and supports combustion by liberating oxygen even if smothered. Contaminated water can cause environmental damage. Contain and collect water used to fight fire.
Suitable Extinguishing media	Use extinguishing agent suitable for surrounding fire.
Precautions for firefighters and special protective clothing	Approach fire from upwind to avoid hazardous vapours or gases. Fire-fighters should enter area wearing specialized protective equipment. (Bunker Gear will not provide adequate protection.) chemical protective clothing (e.g. chemical splash suit) and positive pressure SCBA may be necessary.
HAZCHEM CODE	None Allocated

Section 6. Accidental Release Measures

Restrict access to area until completion of cleanup. Ensure cleanup is conducted by trained personnel only. Wear adequate personal protective equipment.

Do not allow into any sewer, on the ground or into any waterway.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff. Remove or recover liquid using pumps or vacuum equipment. Do not return spilled product to its original container.

Dispose of waste according to the applicable local and national regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Wash hands thoroughly after handling.
- Avoid release to the environment.
- Wear chemically protective equipment during handling.
- Use in a well-ventilated area.
- Do not breathe vapours or mists.
- Avoid contact with eyes, skin and clothing.
- Do not wear contact lenses while handling this material.
- Keep away from extreme heat and flame.
- Use caution when opening containers.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store in an area that is: ventilated.
- Store in the original, labelled, shipping container.
- Protect from Freezing.
- Store above 10 degrees Celsius.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA).The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air.

Personal Protection Equipment



Eyes	Wear chemical safety goggles and face shield when contact is possible.
-------------	--

Skin	Wear chemical protective gloves.
Respiratory	In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Dark brown
Odour	Fruity
Odour Threshold	Not available
pH	6 - 7 (1% solution)
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Relative Density	1.23 - 1.25 at 20 °C (water = 1)
Water Solubility	Soluble in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	None expected under normal conditions of storage and use.
Conditions to Avoid	Prolonged exposure to high temperatures. Freezing. Open flames, sparks, static discharge, heat and other ignition sources. Do not allow product to become dry. Incompatible materials.
Incompatible Materials	Strong acids (e.g. hydrochloric acid), strong bases (e.g. sodium hydroxide), strong oxidizing agents (e.g. perchloric acid), halogens (e.g. chlorine). Metallic powders (e.g. aluminum, iron, zinc, steel, copper, brass, magnesium and tin).
Hazardous Decomposition Products	Nitrogen Oxides. Ammonia. Carbon oxides (CO, CO ₂).

Section 11 Toxicological Information

Acute Effects:

Swallowed	Symptoms may include headache, nausea, dizziness, drowsiness and confusion.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes severe eye irritation.
Skin	Not applicable.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Urea		8471 mg/kg (rat)	21000 mg/kg (rabbit)
Ammonium nitrate	> 88 mg/L (rat) (4-hour exposure)	2217 mg/kg (rat)	> 5000 mg/kg (rat)

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Section 12. Ecotoxicological Information

HSNO Classes: 9.1D = Toxic to aquatic life.
9.3C = Harmful to terrestrial vertebrates.

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Ammonium nitrate	6000 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)			

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Section 13. Disposal Considerations

Disposal Method:

Empty containers retain product residue. Follow label warnings even if container appears to be empty. Triple rinse and dispose according to Local Regulations.

Precautions or methods to avoid: Do not allow to enter waterways.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ ; NZS 5433:2012

Section 15 Regulatory Information

This substance is classified hazardous according to the Hazardous Substances (Classification) Notice 2017

EPA Approval Code: Fertilisers (subsidiary) – HSR002571

HSNO Classification: 6.4A, 9.1D, 9.3C

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required

Product Name: Carbo N
Date of SDS: 8 March 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	10000L (9.1D)
Emergency Response Plan	10000L (9.1D)
Secondary Containment	10000L (9.1D)
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. HSNO Approved Code of Practice: Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, Hortigro, if further information is required.

Issue Date: 8 March 2018 Review Date: 8 March 2023